

# dyson airblade tap

AB AB AB  
09 10 11

## Electrical

Input voltage/Frequency: 220-253V 50 Hz

Rated power: 1600 W

Motor type: Dyson digital motor – brushless DC Motor

Motor switching rate: 6,000 per second

Motor speed: 90,000 rpm

Operating temperature range: 0° – 40°C

Heater type: None

Standby power consumption: Less than 0.5 W

## Construction

Tap construction: Stainless steel (brushed)

Under counter motor assembly construction: Moulded ABS (main unit)

Exterior screw type: Torx T15

Water ingress protection to IP35

## Filter

HEPA filter (glass fibre and fleece prelayer)

Bacteria removal 99.9%

## Operation

Touch-free infra-red activation

Hand dry time measurement: 12 seconds (Measurement based on National Sanitation Foundation Protocol P.335)

Operation lock-out period: 30 seconds

Airspeed at apertures: 430 mph

Operating airflow: Up to 30 l/s

## Water operation

Water flow rate: 4 l/min

Tap Aerator: Aerated water outlet

Tap power supply: Mains supply

Water temperature control: Thermostatic mixer recommended (not supplied)

Water pressure required: 1-8 Bar

## Logistics

Serial number prefix: AB09 EC1; AB10 EC2; AB11 EC3

Single unit order code: AB09 25818-01; AB10 25819-01; AB11 25820-01

Net weight: AB09 4.3kg; AB10 4.6kg; AB11 TBC

Packaged weight: AB09 5.7kg; AB10 6.1kg; AB11 TBC

Packaged dimensions: AB09 H303 × W284 × D286 mm

AB10 H276 × W437 × D280 mm; AB11 H302 × W610 × D375 mm

Unit barcode: AB09 5025 1550 1577 3;

AB10 5025 1550 1578 0; AB11 5025 1550 1579 7

## Standard guarantee

5 year guarantee



## Product range

AB09 Short



AB10 Long



AB11 Wall



The Carbon Reduction Label is the registered trade mark of the Carbon Trust.

For further information please contact  
(UK Freephone) 0800 458 7416 (UK) 028 9065 6552 (IE) 048 9065 6552 (Int) +44 9065 6552  
[www.buydysonairblade.co.uk](http://www.buydysonairblade.co.uk)

## TECHNICAL SPECIFICATION


AB  
09

AB  
10


AB  
11



FRONT ELEVATION



SIDE ELEVATION



FLOOR

### Tap dimensions

AB09 Height 159mm Width 295mm Depth 281mm

### Motor bucket dimensions

AB09 Height 262mm Width 141mm Depth 189mm

### Minimum clearance

Z 100mm clearance from floor.

For further information please contact  
(UK Freephone) 0800 458 7416 (UK) 028 9065 6552 (IE) 048 9065 6552 (Int) +44 9065 6552  
[www.buydysonairblade.co.uk](http://www.buydysonairblade.co.uk)


# dyson airblade tap

## TECHNICAL SPECIFICATION




AB 09 AB 10 AB 11

FRONT ELEVATION



SIDE ELEVATION



All dimensions shown in mm (+/-5mm)

FLOOR

### Tap dimensions

AB10 Height 308mm Width 295mm Depth 281mm

### Motor bucket dimensions

AB10 Height 262mm Width 141mm Depth 189mm

### Minimum clearance

Z 100mm clearance from floor.

## TECHNICAL SPECIFICATION


AB  
09

AB  
10

AB  
11



### FRONT ELEVATION



#### Tap dimensions

AB11 Length 305mm Width 295mm

#### Motor bucket dimensions

AB11 Height 262mm Width 141mm Depth 189mm